

 Tendercare Ltd, Unit 10, Minster Court, Littlehampton, West Sussex BN17 7RN Tel 01903 726161 Email: info@tendercareltd.com www.tendercareltd.com	CLOUD® PUSHCHAIR Page 1 of 4
Client Name: _____ Contact Name: _____ Address: _____ _____ _____ Telephone No: _____ E-mail: _____	 <u>Complete Pushchair Comprises:</u> Cloud® Seat unit with side mount interface, padded upholstery, gas strut operated independent back recline & Tilt in space without fixed positions, adjustable hip width and hip depth, adjustable seat depth, adjustable back height, height adjustable knee angle, and height adjustable flip up footrest. Cloud® Chassis with swivelling front castors, height adjustable soft grip push handle, pin lock brake, tilt assist bracket and set of four transit brackets fitted. The Cloud® Pushchair is designed to be both forward and rearward facing.

Specification	Sizing - without external headrest	Sizing - with external headrest	INFORMATION	
Seat Depth	190-290mm	190-290mm	The Cloud pushchair complies with the requirements of ISO 7176-19 and is designed to be secured facing forward when used in a wheelchair-adapted vehicle.	
Seat Width	180-290mm	180-290mm		
Backrest Height (minimum - maximum)	470 - 630mm (can be further reduced with a seat pad)	450 (with 3" seat pad fitted) - 630mm		
Lower Leg Length	195-300mm (can be reduced with a foot pad)	195-300mm (can be reduced with a foot pad)	CLOUD® PUSHCHAIR	
Seat Back Recline	90-140°	90-140°		
Seat Tilt in Space	10-40°	10-40°	Cloud® Pushchair - Size 1 Complete CL5400 (Maximum carrying weight of occupant is 40kg Maximum overall carrying weight capacity is 55kg)	
Adjustable Push Handle range (minimum - maximum)	710-1230mm	710-1230mm		
External Folded Chassis Dims (LxWxH)	880 x 610 x 300mm	880 x 610 x 300mm	CLOUD® SEAT/CHASSIS UPGRADES	
External Chassis Dims (LxWxH)	930 x 610 x 1200mm	930 x 610 x 1200mm		
Weight of Pushchair (seat and chassis)	23.7kg	23.7kg (ex headrest)	Dynamic Back Upgrade SN7404 Pneumatic Wheels Upgrade SN6239 The below options are factory fitted options ONLY AVAILABLE at point of manufacture.	
Max. Carrying Weight - Seat (Occupant and accessories mounted on seat)	40kg	40kg	Front Locking Castors Upgrade CL6238 Push handle mounted attendant brakes - Hub* SN6259	
Max. Carrying Weight - Chassis (Includes the weight of the seat, occupant and all accessories)	55kg	55kg	* Standard foot operated brake is removed when this option is chosen. Not compatible with pneumatic wheels.	



FABRIC COLOUR

Please choose one colour option to coordinate with the black spacer fabric:



Lime Green Side Wings, Hip Guide Covers & Embroidery
 Red Side Wings, Hip Guide Covers & Embroidery
 Grey Side Wings, Hip Guide Covers & Embroidery
 Blue Side Wings, Hip Guide Covers & Embroidery
 Magenta Side Wings, Hip Guide Covers & Embroidery

Bespoke Covers / part of the covers (in dartex or aqua stirata), please specify in the "Bespoke Requirements" section.


INTERNAL HEADRESTS




Extra Recess With Curved Sides Headrest



Semi Recess With Curved Sides Headrest



Lateral Head Supports




(All Dimensions in mm)	✓	A	B	C	D	E	F
Recess	SN9825	265	130	90	60	-	40
Extra Recess	SN9826	265	130	90	80	-	40
Extra Recess with curved sides	SN9828	265	130	90	80	-	40
Semi Recess with curved sides	SN9829	220	140	130	110	-	40
Occipital Roll	SN9827	265	130	90	60	80	40
Bespoke Foam Headrest		Please Supply Additional Drawing & Measurements					
Reduced Length Lateral Head - Back Pad version	CL9830	65	100	-	-	-	-
Lateral Head Size 1 - Back Pad version	CL9824	115	100	-	-	-	-
Lateral Head Size 1	SN9820	115	100	-	-	-	-
Lateral Head Bespoke - specify A & B measurements				-	-	-	-


EXTERNAL HEADRESTS

External Headrest options - maximum height to top of headrest when external headrest fitted can not exceed 63 cm


Independent curved fabric covered Headrest




X Shaped Head Support (Urethane Foam)



Combined Head/Neck Support with lateral control (Urethane Foam)



Whitmyer AXYS Contoured Cradle




(All Dimensions in mm)	✓	A	B	C
Independent curved fabric covered Headrest	CL0430	120	250	-
Combined Head/Neck Support with lateral control (Urethane Foam)	TSS430C2	180	115	90
X Shaped Head Support (Urethane Foam)	TSS430C4	203	147	110
Whitmyer AXYS Contoured Cradle	AXYS-CCS2L	139	216	57

CL9305


Cloud Seat Headrest Mounting Bracket - Required for fitting of ALL external headrests, fits to seat (includes fixings and spacer bracket). Compatible with headrests with 13mm tube.

TRUNK SUPPORTS

Lateral Trunk Supports



Lateral Trunk Supports with Chest Belt



(All Dimensions in mm)	✓	A	B
Lateral Trunk Supports - for use with 1" Back Pad	CL9845	115	100
Lateral Trunk Supports	SN9835	115	100
Lateral Trunk Supports (wider width) - Size 1 pads with size 2 brackets fitted	SN9839	115	100
Lateral Trunk Supports Bespoke - specify A & B measurements			
Lateral Trunk Supports with Chest Belt - for use with 1" Back Pad	CL9843	170	100
Lateral Trunk Supports with Chest Belt	SN9833	170	100
6" Webbing Extension (belt extension piece for lateral trunk supports with chest belt)	SN9884	n/a	n/a


CHEST HARNESSING

If harnessing not fitted at time of purchase - Cam Buckle is required.

Cam Buckle 25mm with fixings for harnessing - Pair


TH6623

KINETIC BALANCE® NEOPRENE HARNESS



	Extra Extra Small	Extra Small	Small
Dims. mm	KB5.70001.00 (Replaces KB5.71012.0)	KB5.70001.0 (Replaces KB 5.71001.2)	KB5.70001.1 (Replaces KB 5.71012.1)
A	100	110	150
B	45	50	50
C	230	275	340
D	95	105	110
E	165	190	220
F	15	20	20

PAEDIATRIC SLIM FIT CHEST HARNESS



Dims. in mm	KB.CHEST.TDC
A	210
B	110
C	115
D	55
E	580

5-Point Harness - (Groin strap Fixes with 3 bar slider)

SN8480

PELVIC BELTS

Centre Pull 2 pt hip belt (metal push button) *Kinetic Balance®*

KB6.70003.0

Anti Tamper 2 pt hip belt (reduced access pin release) dual pull *Kinetic Balance®*

KB6.70005.0

Centre Pull 4 pt hip belt (metal push button) *Kinetic Balance®*

KB6.70047.0


Anti Tamper 4 pt hip belt (reduced access pin release) dual pull *Kinetic Balance®*

KB6.70045.0

Groin Adaptation Strap (Requires Pelvic Belt for fitting)

TH6233

POMMEL



Pommel Dims. in mm	SN9652
A	70
B	95
C	80
D	30

OTHER POSTURAL ACCESSORIES

1" Sacral Pad (Fits under cover)	SN9032
½" Sacral Pad (Fits under cover)	SN9029
Seat Wedge Pad	SN9035
Ramped (Anti Thrust Style) Seat Pad	SN9037
D Roll (to fit under cover back or seat)	SN9020
Positioning Pads Set	SN6025
- 4 x rectangular 75x65x30 (LxWxH)	
- 4 x wedges 75x65x30 (LxWxH)	
- 4 x wedges 85x80x25 (LxWxH)	

FRAME ACCESSORIES

Frame Padding

SN6817

LEG AND FOOT POSITIONING

ANKLE CUFFS - HOOK AND LOOP FASTENING

✓	Size	A (ankle circumference)
KB8.70001.0	Extra Small	180mm >
KB8.70001.1	Small	180mm - 220mm
KB8.70001.2	Medium	220mm - 260mm



Measure over the rounded protuberance of the ankle (malleolus), A

Calf Strap	SN6635/4
Toe Straps- Pair - (Cam Buckle)	TS6591
Heel Straps - Pair - (Cam Buckle)	TS6592
Foam Pad for Footboard (Covered) 1"	SN6657
Foam Pad for Footboard (Covered) 2"	SN6656
Foam Pad for Footboard (Covered) 2.5"	SN6655

EQUIPMENT / CARRYING ACCESSORIES

SIZING ACCESSORIES

Equipment Carrying Tray*	CL7306
* Internal Dimensions are 330mm (length) x 360mm (width). Max Carrying Capacity 25kg	
Straps for Equipment Carrying Tray	1 x Pair TS6593
(supplied loose for self-fitting)	2 x Pairs TS6593
R/H Vertical Cylinder Carrier (Recommended side)**	TSS03
L/H Vertical Cylinder Carrier **	TSS03
** Maximum O2 cylinder size of BOC CD or equivalent	
Hook & Bracket (maximum weight capacity 4kg per set) ***	L/H, CL400
*** Maximum 2 sets per chassis. Please undertake your own stability test when hanging equipment off the chassis.	
	R/H, CL400
Shopping Basket (maximum carrying capacity 10kg)	CL7330

Back Pad 1" (need to order CL9103)	CL6311
Bespoke Back Pad cover to fit 1" back pad (standard back cover also supplied when ordered with a complete pushchair for use as client grows)	CL9103
1" Flat Seat Pad	CL9036
2" Flat Seat Pad	CL9037
3" Flat Seat Pad (comprises of a 1" and 2" seat pad fixed with hook and loop tape)	CL9038
Longer Footrest Stem to increase lower leg length by 40mm	2 x 053RKF321.2

LIFESTYLE ACCESSORIES

Sun Hood - Fits to side wing plastics	SN6350
Transparent Rain Shield Size 1- needs Sunhood SN6350 for fitting	SN6355
Sunhood/rainshield can be used in both forward and rearward positions.	
All-in-one Raincover (Transparent)-Framed style -fits to chassis	CL6310
Raincover can only be used in forward facing position. Cannot be used with Sun hood.	
Footmuff	SN6327

Playtray (Frosted) *	CS6596
1" Padded Vinyl inlay Frosted(self adhesive)	SN6599
Playtray (Black) *	CS6593
1" Padded Vinyl inlay Black(self adhesive velcro)	TS6598
Grip Rail *	CS6711

*Playtrays and Grip rails are only for use in forward-facing position.

BESPOKE REQUIREMENTS

We make our own accessories. If you need something more bespoke/customised, please provide details below. All bespoke items will be priced depending on requirements.

ADDITIONAL INFORMATON