

Tendercare



Pushchair Aesthetic, Modular Support



Innovative new style of interface which enables the seat to fit into the chassis in both forward and rearward.



Compatible with a range of external headrests.

Back recline, without fixed positions, of 90 - 140°. Dynamic option available.

Height and angle adjustable push handles.

Tilt in space, without fixed positions, of 10-40°.

Highly adjustable in order to ensure both maximum growth and ideal seating position.

Hip guides in addition to being angle, width and length adjustable are also height adjustable and fitted with a curved top so can be used as armrests.

Adjustable knee angle.

Height and angle adjustable flip-up footrest.

Front and rear transit brackets, fitted as standard.

Soft, breathable fabric available in five colour options.

Exceptionally high weight capacity of 55kg.

Crash-tested (forward facing position only) according to ISO 7176-19.

To facilitate quicker and smoother clinic appointments, the seat depth, seat width and angle of the hip guides are handwheel adjustable.

Tip assist.

Soft-touch, easy-to-operate, pin-lock brake. Hub brake option also available.

Large amount of space underneath the seat for taller equipment, like suction machines, to fit standing up.

Swivelling front castors. Front locking castors option available.

Technical Information



Specification	Size 1
Seat Depth	190 - 290mm
Seat Width	180 - 290mm
Backrest Height	470 - 630mm (can be further reduced by fitting a seat pad)
Lower Leg Length	195 - 300mm (can be further reduced by fitting a foot pad)
Seat Back Recline	90 - 140°
Seat Tilt in Space	10 - 40°
Fabric Colour Options	Black fabric with black/red, black/blue, black/lime green, black/magenta or black/grey sides
Frame Colour	Black
Adjustable Push Handle Range (Minimum - Maximum)	710 - 1230mm
Front Castor Diameter	180mm
Rear Wheel Diameter	250mm
Weight of Pushchair (seat and chassis)	23.7kg
Maximum Carry Weight – Seat (seat maximum carry weight is for the occupant and any accessories mounted to the seat)	40kg
Maximum Carry Weight – Chassis (chassis maximum carry weight includes the weight of the seat, occupant and all accessories)	55kg
External Chassis Dimensions (L x W x H)	930 x 610 x 1200mm
External Folded Chassis Dimensions (L x W x H)	880 x 610 x 300mm

Contact Us!

Tendercare

Phone:

01903 726161

Website:

www.tendercareltd.com

Email:

info@tendercareltd.com

Address:

PO BOX 3091
Littlehampton
BN16 2WF

